THE FERN GAZETTE

INDEX

VOLUME 21

THE FERN GAZETTE is a journal of the British Pteridological Society and contains peer-reviewed papers on all aspects of pteridology.

Manuscripts may be submitted, and books etc. sent for review, to: Prof. M. Gibby, Royal Botanic Garden Edinburgh, 20A Inverleith Row, Edinburgh, EH3 5LR, UK

Copyright © 2024 British Pteridological Society. All rights reserved. No part of this publication may be reproduced in any material form (including photocopying or storing it in any medium by electronic means) without the permission of the British Pteridological Society.

The Parts of the Fern Gazette Volume 21 were published on the following dates and comprised the following pages:

	Date of Publication	Pages
Part 1	21st May 2019	1 – 44
Part 2	23rd November 2019	45 – 100
Part 3	15th May 2020	101 – 140
Part 4	27th November 2020	141 – 188
Part 5	8th May 2021	188 – 239
Part 6	15th December 2021	240 – 291
Part 7	30th March 2022	292 – 419
Part 8	21st October 2022	437 - 500

Published by THE BRITISH PTERIDOLOGICAL SOCIETY
c/o Department of Botany,
The Natural History Museum, Cromwell Road, London SW7 5BD, UK

Printed by Bishops Printers Limited
Walton Road, Farlington, Portsmouth, PO6 1TR, UK www.bishops.co.uk

Compiled by Mary Gibby

CONTENTS

VOLUME 21 PART 1 **21st May 2019**

REVIEW

The role of soils for pteridophyte distribution in Tropical American forests

G.M.Moulatlet, G. Zuquim & H. Tuomisto 1-20

Short biographies of the authors 21-22

MAIN ARTICLES

***Dryopteris* ×*complexa* nothosubsp. *transsilvanica*: a new hybrid from the Carpathians (Dryopteridaceae, Polypodiophyta)**

D. Tlalka, S. Jeßen, A. Rostański & M.Rojek 23-34

Meiotic chromosome behaviour of apogamously produced haploid sporophytes in *Woodwardia orientalis* and *W. prolifera*

S.M. Kawakami, T. Kawakami, J. Kato& S. Kawakami 35-41

BOOK REVIEW

An annotated checklist of Indian Pteridophytes, Part 2, by C.R. Fraser-Jenkins, K.N. Gandhi & B.S. Kholia

Reviewed by M. Gibby 42-43

VOLUME 21 PART 2 **23rd November 2019**

REVIEW

Edible ferns and lycophytes in Asia

Y.M. Huang, Y.H. Chang & W.L. Chiou 45-68

MAIN ARTICLES

Ferns and lycophytes of Cuniã Ecological Station, south-western Amazonia, Brazil

A.F. Sampaio, R.T.G. Andrade, G. Zuquim, M.F.M. Cunha, A. Eugênio de Oliveira, G. Sampaio Cabral, O. Silva de Moura, S. Pansini & A. G. Manzatto 71-86

***Dryopteris affinis* subsp. *cluthensis*: a new taxon in the *Dryopteris affinis* complex (Dryopteridaceae)**

A.R. Church, A.J. Evans, R. Golding, F.J. Rumsey & R.L.L. Viane 87-97

BOOK REVIEW

Polypodium Cultivars and Species, by M. Rickard

Reviewed by M. Gibby 98-99

VOLUME 21 PART 3 **15th May 2020**

MAIN ARTICLES

×*Phlebosia* (Polypodiaceae), a new fern nothogenus with a new cultivar 'Nicolas Diamond'

R.L.L. Viane & H. Pompe 101-110

Extended distribution for a rare fern *Tectaria multicaudata* in peninsular India

S.M. Patil, A. Benniamin & K.S. Rajput 111-114

***A preliminary study of phytochemicals in Equisetum arvense* and *E.ramosissimum* (Equisetaceae) extracts from northern Iraq**

A.M. Ismail, T. Ouaid, M. Al-Amery, B. Maulood & W. Serson. 115-121

The genus *Ophioglossum* (Ophioglossaceae) in West Bengal, India

S. Jash & A.B. De 123-132

New fern records for the state of Morelos, Mexico: *Hemionitis pinnatifida* and *Myriopteris longipila* subsp. *brevipila* (Pteridaceae)

A.D. Sánchez-Popoca, K. Mehltreter, K.M. Aguilar-Dorantes, R. Ramírez-Rodríguez 133-139

VOLUME 21 PART 4 **27th November 2020**

MAIN ARTICLES

Distribution patterns and priorities for conservation of Iranian pteridophytes

A. Mehrabian, F.K. Nasab, C.R. Fraser-Jenkins & F. Tajik 141-160

Asplenium* ×*vogelii* (*Asplenium azoricum* × *A.trichomanes* subsp. *quadrivalens*) (Aspleniaceae) a new endemic hybrid spleenwort from the Azores and the relationship and origins of its endemic parent, *A. azoricum

F.J. Rumsey, A. Hendy & K.E. Jones 161 -168

Taxonomic and nomenclatural notes on Philippine ferns. III. *Asplenium caudatum* (Aspleniaceae) and ferns confused with it

A.E. Salgado 169-184

VOLUME 21 PART 5 **8th `May 2021**

MAIN ARTICLES

Anisophyllous species of *Selaginella* in West Africa

N. Quansah & B.A. Thomas 188-238

VOLUME 21 PART 6 **15th December 2021**

MAIN ARTICLES

Pirin Quillwort, *Isoetes pirinica* sp. nov. (Isoetaceae), a new endemic Lycophyte from Bulgaria

D. F. Brunton, D. Ivanova & P. C. Sokoloff 240-252

***Calymmodon pectinatus*, a new species of Grammitid fern (Polypodiaceae) from Malesia**

B.S. Parris 254-259

Three new hybrids of Japanese Cornopteroid ferns in the genus *Athyrium* (Athyriaceae)

K. Hori 260-269

***Christensenia aesculifolia*: its diversity, distribution, conservation status and molecular identification from India**

S. Patil, R. Patel, V. Rawat & K. Rajput 270-276

Taxonomic note on the genus *Marsilea* (Marsileaceae) in Thailand

S. Petchsri, S. Zungsontiporn & T. Boonkerd 278-289

BOOK REVIEW

An annotated checklist of Indian Pteridophytes, Part 3 (Lomariopsidaceae to Salviniaceae). Fraser-Jenkins, C.R., Gandhi, K.N. & Kholia, B.S.

Reviewed by M. Gibby 253

VOLUME 21 PART 7 **30th March 2022**

MAIN ARTICLES

An annotated checklist of lycophytes and ferns of the Solomon Islands

C.-W. Chen, L. Perrie, D. Glenny, W.-L. Chiou, S. Fawcett, A. R. Smith, B. S. Parris, A. Ebihara, D. Ohlsen, S. Lehtonen, S.-Y. Dong, M. Lehnert, A. R. Field, Y.-S. Chao, A. G. Murdock & M. Sundue 292-417

VOLUME 21 PART 8 **21st October 2022**

MAIN ARTICLES

Monitoring of a founder population of the hart's tongue fern (*Asplenium scolopendrium*) on a former sea-floor (Jagersveld) over 34 years (1985 – 2018)

P. Bremer & A. Smit 437-449

***Dryopteris carpatica* spec. nov. – a tetraploid species of the *Dryopteris affinis* aggregate (Dryopteridaceae, Polypodiopsida) from the southern Carpathians**

S. Jessen, W. Bujnoch & J. Fuchs 451-466

An unexpected *Equisetum* (Equisetaceae) taxon new to the European flora

M. Lubienski & J. Fuchs 467-488

Cytology of the rare and threatened sickle fern *Pellaea falcata* (Pteridaceae: Pteridophyta) from India

A. Amirtham, V. Irudayaraj, A. Benniamin & L.J.P. Arulanandam 489-493

SHORT NOTE

***Asplenium lepturus* forma *filiforme* (Aspleniaceae), a new form from South-East Asia**

A. Edward Salgado 495-497

SUBJECT INDEX

Names (in bold) are authors
Other items in bold are keywords

Abrodictyum
asae-grayi, 316
caudatum, 316
cumingii, 316
flavofuscum, 316
obscurum, 316
pluma, 316
schlechteri, 317
Acer
pseudoplatanus, 25, 437
Acrophorus
nodosus, 371
Acrosorus
reineckei, 385
Acrostichum
articulatum, 370
aureum, 49, 59
auritum, 376
blumeanum, 372
calomelanos, 339
cultratum, 293, 372
decurrens, 377
dichotomum, 326
drynarioides, 385
heteroclitum, 370
lanceolatum, 396
longifolium, 396
polyphyllum, 372
punctatum, 391
quoyanum, 370
rivulare, 370
speciosum, 335
thalictroides, 337
Actinostachys
digitata, 325
wagneri, 325
Adiantum
aneitense, 335
cajennense, 79
capillus-veneris, 59, 145
chinense, 334
cultratum, 331
diaphanum, 336
humile, 9, 79
lunulatum, 369
monosorum, 293, 336
obliquum, 9, 79, 80
philippense, 336
phyllitidis, 8
pulverulentum, 9, 11
tenerum, 336
terminatum, 9, 79, 80
tetraphyllum, 9
tomentosum, 9, 11, 79
tuomistoanum, 71, 75, 76, 79, 80
Afghanistan, 142, 156
Africa, 99, 128, 156, 157, 198, 200, 202, 204, 206, 208, 210, 212, 218, 220, 222, 226, 228, 233, 279, 344, 376, 482
Aglaomorpha
coronans, 59
drynarioides, 385
heraclea, 385
parkinsonii, 386
rigidula, 386
sparsisora, 386
Aguilar-Dorantes, K.M. 133
Al-Amery, M. 111
Allantodia
dilatata, 53
gigantea, 54
himalayensis, 53
javanica, 345
spectabilis, 54
viridissima, 54
Allosorus
esculentus, 344
Alsophila
alta, 295, 327
archboldii, 327
costularis, 55
decurrens, 328
hornei, 328
lunulata, 329
podophylla, 55
polypodioides, 360
rigens, 328

samoensis, 329
solomonensis, 301, 328
spinulosa, 55
truncata, 329
Amauropelta
rechingeri, 301
Amazon, 9, 21, 22, 75, 77, 80
Amazonia, 3, 4, 5, 6, 7, 8, 9, 10, 11, 13, 21, 22, 71, 72, 73, 74, 77, 80
Amblovenatum
pseudostenobasis, 360
America, 1, 2, 3, 4, 7, 12, 13, 72, 99, 339, 465, 482, 483, 489
Ampelopteris
prolifera, 62
Andorra, 245
ANEMIACEAE, 77
Angiopteris
esculenta, 57
evecta, 57
fokiensis, 57
indica, 57
lygodiifolia, 57
microura, 295, 314
wallichiana, 57
Angola, 199, 202, 210, 212, 213, 215, 216, 226, 227, 231, 234
anisophyllous, 188, 192, 196, 198, 200, 203, 205, 206, 208, 211, 213, 215, 218, 220, 222, 225, 226, 228, 230, 233, 235
Anogramma
leptophylla, 148, 152
Antrophyum
callifolium, 336
megistophyllum, 295, 336
smithii, 337
solomonense, 337
subfalcatum, 337
Amirtham, A. 489
Andrade, R.T.G. 71
apogamous, 25, 35, 37, 266, 268, 489
apogamy, 35, 40
Arachniodes
aristata, 369
henryi, 56
Archigrammitis
demissa, 383
solomonensis, 302, 384, 398
Arthrobotrya
articulata, 370
Arthropteris
obliterata, 375
palisotii, 61, 376
Arulanandam, L.J.P. 489
Asia, 32, 45, 46, 63, 99, 141, 142, 298, 299, 305, 347, 467, 482, 483, 485, 489
Aspidium
aesculifolium, 272, 314
angulatum, 376
arborescens, 371
aristatum, 369
bamlerianum, 377
biserratum, 374
crenatum, 377
crenatus, 77
dahlii, 373
decurrens, 377
devexum, 377
durvillaei, 378
exaltatum, 374
forsteri, 378
glanduliferum, 362
harveyi, 357
heterocarpon, 366
hirsutulum, 374
invisum, 368
irregulare, 373
latifolium, 378
leuzeanum, 373
menyanthidis, 376
moluccense, 374
neriiforme, 380
obliteratum, 375
palisotii, 376
parasiticum, 358
phaeostigma, 375
polycarpon, 366
profereoides, 379
repandum, 379
semicordatum, 290, 375
speluncae, 344
truncatulum, 369
ASPLENIACEAE, 78, 144, 299, 345
Asplenium
acrobryum, 345
acutiusculum, 169
adiantoides, 346
adiantum-nigrum, 145, 146, 150
affine, 345
amboinense, 345
anceps, 161, 162, 164, 165, 166, 167
angustum, 78, 80
anisodontum, 169
antiquum, 52
athertonense, 347
atrovirens, 293, 345

australasicum, 50, 51, 52, 63, 350
azomanes, 163
azoricum, 161, 162, 163, 164, 165, 166, 167
baileyanum, 346
bantamense, 353
bipinnatifidum, 346
bipinnatum, 346
carruthersii, 346
caudatum, 169, 170, 173, 174, 175, 176, 177, 178, 179, 181, 346
ceterach, 145, 146, 150, 154
contiguum, 348
cromwellianum, 347
cuneatum, 347
cymbifolium, 347
excisum, 350
falcatum, 347
glabratum, 182
hallii, 78, 80
heterochroum, 162, 165
hookerianum, 346
horridum, 169, 170, 174, 175, 177, 179, 180, 346
insulanum, 349
javanicum, 345
laserpitiifolium, 347
ledermannii, 347
lepidum, 146, 150
lepturus, 348, 495
listeri, 347
lobulatum, 347
longifolium, 173
longissimum, 169
ludens, 295, 348
marattioides, 295, 347
musifolium, 348
nidus, 52, 172, 348
nigrescens, 348
oblanceolatum, 348
onopteris, 162
pallidum, 355
parvum, 348
pellucidum, 349
persicifolium, 293, 345
phyllitidis, 348
polyodon, 347
powellii, 349
proliferum, 355
rostratum, 173
ruta-muraria, 146, 150
salignum, 346
sancti-christofori, 349
scandens, 349
schizocarpum, 349
scolopendrium, 146, 150, 154, 162, 437, 438, 439, 440, 441, 442, 446, 447, 448
scolopendropsis, 349
septentrionale, 146, 150
serratum, 75, 78
stuebelianum, 78, 80
tenerum, 350
translucens, 350
trichomanes, 52, 145, 146, 149, 150, 154, 161, 162, 163, 164, 165, 166
tripteropus, 162
truncatilobum, 169, 170, 173, 174, 175, 179, 346
truncatum, 169, 170, 171, 173, 174, 175, 179, 346
umbrosum, 295, 353
viride, 145, 146, 150
Astrocaryum
gynacanthum, 75
ATHYRIACEAE, 46, 52, 149, 152, 260, 298, 352, 407
Athyriopsis
japonica, 53
Athyrium
acutipinnulum, 52
bantamense, 353
bipinnatum, 262, 264, 266, 267, 268
brevifrons, 52
christensenianum, 260, 261, 262, 264, 265, 266, 267, 268
crenulatoserrulatum, 260, 261, 262, 266, 267, 268
cumingii, 354
decurrentialatum, 261, 267. 269
dissitifolium, 371
distentifolium, 52
filix-femina, 25, 149, 152
geophilum, 354
japonica, 53
javanicum, 346
kuratae, 52, 261
multidentatum, 64
niponicum, 64
opacum, 262, 268
pachyphyllum, 53
polypodioides, 355
schimperi, 53
yakushimemse, 260
yokoscense, 53
Australia, 301, 312, 348, 375, 489, 491
Austria, 21, 607, 617, 628, 629, 637
Austroblechnum

melanocaulon, 351
Austrogramme
decipiens, 301, 337
autotetraploid, 35, 36, 37, 39
Azerbaijan, 142
Azolla
filiculoides, 148, 152, 154
pinnata, 51, 54

Bangladesh, 62, 111, 112
Bathmium
repandum, 379
Belgium, 23, 467, 462
Belvisia
mucronata, 388
Benin, 197, 202, 212, 216, 221, 231, 232, 234
Benniamin, A. 111, 489
Bhutan, 62
biogeography, 2, 13, 22
BLECHNACEAE, 48, 66, 94, 175, 180, 586
Blechnopsis
orientalis, 52, 61, 66, 479
Blechnum
megavulcanicum, 477
nesophilum, 477
orientale, 61, 66, 342, 479
phanerophlebium, 379, 479
procerum, 223
spicant, 173, 175, 180
vittatum, 479
vulcanicum, 477
Bolbitis
angustipinna, 69
heteroclita, 514
quoyana, 514
rivularis, 514
Bolivia, 10, 15
Boonkerd, T. 278
Botrychium
lanuginosum, 71
lunaria, 176, 181
virginianum, 71
Botrypus
virginianus, 71
Brazil, 12, 15, 17, 18, 83, 85, 92, 94, 351, 624, 643
Bremer, P. 437
Brunei, 320
Brunton, D. F. 240
Bujnoch, W. 451
Bulgaria, 297, 299, 303, 304, 306, 309, 310, 311, 605, 607
Burundi, 247, 253, 274
Byrsopteris
aristata, 513

Calciphilopteris
ludens, 74
Callipteris
esculenta, 65, 66
prolifera, 485
Callistopteris
apiifolia, 410
Calochlaena
straminea, 428
Calymella
vulcanica, 422
Calymmodon
clavifer, 572
furcatus, 381, 542, 572
gracilis, 542, 574
gracillimus, 314
pectinatus, 314
poensis, 314
redactus, 314
solomonensis, 381, 542, 572
subgracilis, 381, 542, 574
subtilis, 542, 574
Cambodia, 346, 355, 356, 360, 362, 374
Cameroon, 240, 241, 242, 244, 245, 247, 248, 250, 253, 256, 259, 262, 263, 267, 269, 271, 273, 274, 276, 278, 281, 284, 286, 287, 289, 291, 293
Campnosperma
brevipetiolata, 576
Campyloneurum
fuscosquamatum, 7
repens, 95, 96
Canada, 242, 250, 482
Candollea
lanceolata, 396
longifolia, 396
Cardiochlaena
menyanthidis, 376
Carex
sylvatica, 25

Central African Republic, 227
Central America, 3, 7, 13, 482
Cephalomanes
acrosorum, 410
apiifolium, 317
asplenioides, 318
atrovirens, 317
caudatum, 316
cumingii, 316
densinervium, 317
javanicum, 318
obscurum, 316
Ceratopteris
pteridoides, 60
siliquosa, 60
thalictroides, 60, 337
Chamaefilix
lobulata, 347
Chang, Y.H. 45
Chao, Y.-S. 292
Cheilanthes
brachypus, 134
chusana, 60
longipila, 137
tenuifolia, 337
Chen, C.-W. 292
China, 42, 45, 46, 50, 62, 63, 260, 270, 274, 281, 292, 298, 299, 334, 340, 352, 358, 391, 482, 483, 489
Chingia
clavipilosa, 357
fijiensis, 357
longissima, 356
malodora, 295, 357
marattioides, 357
tortuosa, 302, 356, 357
chloroplast DNA, 161, 345, 347, 350, 379
Christella
buwaldae, 358
calcarea, 358
dentata, 61, 357
gretheri, 358, 359
harveyi, 302, 357, 358
invisa, 368
minima, 358
parasitica, 358
perpubescens, 358
Christensenia
aesculifolia, 270, 271, 272, 273, 274, 275, 314
assamica, 271, 272
cumingiana, 270
lobbiana, 271
Chrysodium
polyphyllum, 372
Chrysogrammitis
musgraviana, 384
Church, A.R. 87
CIBOTIACEAE, 54
Cibotium
barometz, 55
taiwanense, 55
Cincinalis
esculenta, 344
Cochlidium
linearifolium, 71, 75, 76, 79, 80
pusillum, 398
Colombia, 6
Colysis
christovalensis, 377
macrophylla, 388
Coniogramme
affinis, 60
caudiformis, 60
centrochinensis, 60
emeiensis, 60
falcipinna, 60
fraxinea, 338
intermedia, 60
japonica, 60
jinggangshanensis, 60
robusta, 60
rosthornii, 60
simileima, 60
taipaishanensis, 60
wilsonii, 60
conservation, 191, 250, 270
conservation status, 195, 198, 200, 202, 204, 206, 208, 210, 213, 216, 218, 220, 222, 224, 226, 228, 229, 232, 235, 237, 250, 272, 274
Conzattia
multiflora, 134
Cornopteris
christenseniana, 260
decurrentialata, 260
decurrenti-alata, 52
hakonensis, 260
opaca, 260
Cornus
sanguinea, 437
Corylus
avellana, 437
Coryphopteris
fasciculata, 302
kolombangarae, 302, 359
obtusata, 359

pubirachis, 359
seemannii, 359
subbipinnata, 302, 359
Cosentinia
vellea, 148, 152
Costa Rica, 9, 134, 336
Cranfillia
megavulcanica, 351
phanerophlebia, 352
Craspedodictyum
quinatum, 341
Craspedoneuron
pallidum, 321
Crataegus
monogyna, 437, 447
Crepidomanes
aphlebioides, 318
bipunctatum, 318
digitatum, 320
humile, 318
intermedium, 318
kurzii, 319
maximum, 322
minutum, 319
pallidum, 321
proliferum, 319
saxifragoides, 319
vitiense, 319
Crepidophyllum
humile, 318
Crepidopteris
humilis, 318
Croatia, 23, 156
Crypsinopsis
enervis, 397
Crypsinus
albidosquamatus, 397
enervis, 397
Cryptomeria
japonica, 262, 263, 264, 265, 266
Cryptosorus
blechnoides, 354
Ctenitis
aciculata, 370
Ctenitopsis
devexa, 377
Ctenopterella
blechnoides, 384, 403
lasiostipes, 403
pacifica, 385, 401, 403
Ctenopteris
blechnoides, 354
brevivenosa, 385
contigua, 395
pacifica, 385
shawii, 395
tenuisecta, 394
yoderi, 395
Culcita
straminea, 326
Cunha, M.F.M. 71
Cyathea
aciculosa, 295, 328
alta, 295, 327
archboldii, 327
barotu, 295, 330
brackenridgei, 293, 329
chinensis, 55
contaminans, 55
decurrens, 328
felina, 329
flaccida, 343
hornei, 328
lunulata, 329
microdonta, 75, 78, 80
moseleyi, 329
percussa, 386
pungens, 11, 75, 78, 80
rigens, 328
solomonensis, 328
spinulosa, 48, 55
truncata, 329
vittata, 295, 330
CYATHEACEAE, 48, 55, 77, 78, 327, 407
Cyclodium
meniscioides, 78
Cyclogramma
auriculata, 61
Cyclopeltis
novoguineensis, 295, 375
semicordata, 11
Cyclophorus
lanceolatus, 396
longifolius, 396
Cyclosorus
beccarianus, 365
callosus, 61
connivens, 358
costatus, 362
dentatus, 61, 357
doodioides, 365
glanduliferus, 362
gregarius, 365
harveyi, 357
heterocarpos, 366
interruptus, 359

invisus, 368
longissimus, 356
magnificus, 362
malodorus, 357
oxyourus, 363
parasiticus, 358
perpubescens, 358
polycarpos, 366
productus, 62
proliferus, 62
pseudostenobasis, 360
richardsii, 367
rodigasianus, 363
sogerensis, 363
unitus, 368
Cyrtogonium
rivulare, 370
Cyrtomium
fortunei, 56, 145, 146, 150
CYSTODIACEAE, 321, 407
Cystodium
sorbifolium, 301, 321
Cystopteris
fragilis, 144, 145, 147, 151
nodosa, 371
Czech Republic, 452, 453

Danaea
leprieurii, 76, 79, 80
Darea
scandens, 349
tenera, 350
Dasygrammitis
brevivenosa, 385
Davallia
chinensis, 334
contigua, 395
delicatula, 331, 332
denhami, 335
denticulata, 381
elata, 381
graeffei, 301, 381
griffithiana, 51, 57
heterophylla, 381
hirsuta, 382
kinabaluensis, 381
lapeyrousei, 293, 332
leptocarpa, 301, 382
nodosa, 371
pallida, 369
pectinata, 382
pentaphylla, 295, 382
pubescens, 382
pusilla, 296, 382
reineckei, 383
retusa, 334
sessilifolia, 383
solida, 383
speluncae, 344
DAVALLIACEAE, 55, 253, 381, 407
Davallodes
hirsutum, 382
De, A.B. 123
De Oliveira, A.E. 71
demography, 437, 439
Dendroconche
linguiforme, 387
Dendroglossa
lanceolata, 396
Denmark, 22, 245, 468
Dennstaedtia
flaccida, 301, 342
glabrata, 343
samoensis, 343
scabra, 343
smithii, 55
straminea, 326
tripinnatifida, 295, 343
zeylanica, 343
DENNSTAEDTIACEAE, 55, 70, 146, 150, 342, 407
Deparia
acrostichoides, 53
boryana, 53
coreana, 53
japonica, 53
petersenii, 53, 352
pycnosora, 53
Dicksonia
berteroana, 327
brackenridgei, 327
flaccida, 343
glabrata, 343
samoensis, 343
sciurus, 327
straminea, 326
zeylanica, 343
DICKSONIACEAE, 326
Dicranopteris
linearis, 57, 322
pedata, 57
Dictyogramme

quinata, 341
Dictyopteris
dahlii, 373
irregularis, 373
Didymochlaena
polycarpa, 366
solomonensis, 369
truncatula, 369
Didymoglossum
angustifrons, 78, 80
beccarianum, 319
bipunctatum, 318
holochilum, 321
humile, 318
mindorense, 319
pinnatinervium, 78
punctatum, 78, 80
serrulatum, 321
tahitense, 320, 401
dihaploid, 35, 36, 37, 38, 40
Diphasiastrum
angustiramosum, 303
DIPLAZIOPSIDACEAE, 56, 344, 407
Diplaziopsis
javanica, 56, 344, 345
Diplazium
acrostichoides, 53
asperum, 53
assimile, 353
axillare, 53
bamlerianum, 352
bantamense, 353
christensenianum, 260
cominsii, 295, 302, 353
congruum, 352
cordifolium, 353
cristovalense, 295, 302, 353
cultratum, 353
cumingii, 354
dameriae, 354
dilatatum, 53, 354
donianum, 53
esculentum, 45, 50, 51, 53, 54, 354
forrestii, 54
fraxineum, 338
frondosum, 54
geophilum, 354
giganteum, 54
harpeodes, 353
himalayense, 53
javanicum, 56, 345
kawakamii, 54
laxifrons, 53, 54
maximum, 53, 54
murkele, 355
oblongifolium, 353
pallidum, 355
phanerotis, 354
polypodioides, 355
polypoides, 53
proliferum, 355
repandum, 54
schlechteri, 355
sikkimense, 54
spectabile, 54
squamigerum, 54
squamuligerum, 354
stipitipinnula, 355
succulentum, 54
viridissimum, 48, 54
weinlandii, 353
diploid, 23, 25, 29, 30, 31, 35, 36, 37, 38, 39, 87, 89, 94, 97, 101, 107, 161, 162, 166, 260, 261, 262, 268, 460, 467, 472, 473, 482, 484, 489, 491
Diplopterygium
clemensiae, 323
longissimum, 323
sordidum, 323
Diplora
schizocarpa, 349
translucens, 350
DIPTERIDACEAE, 322, 407
Dipteris
conjugata, 322
distribution, 447, 472, 489
Dong, S.-Y. 292
Doryopteris
ludens, 60
Drymoglossum
carnosum, 59
fallax, 396
subcordatum, 59
Drynaria
albidosquamata, 397
baronii, 59
coronans, 59
drynarioides, 385
grossa, 390
heraclea, 385
parkinsonii, 386
pleuridioides, 59
rigidula, 59, 386
roosii, 59
sparsisora, 59, 386
Drynariopsis

heraclea, 385
Dryopolystichum
phaeostigma, 375
DRYOPTERIDACEAE, 42, 46, 56, 77, 78, 111, 141, 144, 145, 146, 147, 149, 151, 253, 369, 407
Dryopteris
×*complexa,* 23, 24, 25, 26, 27, 28, 30, 31, 32, 34, 451, 453, 455, 456, 457, 458, 459, 460, 462, 464
×*convoluta,* 33
×*critica,* 453, 455, 459, 462
aciculata, 370
aemula, 94, 461
affinis, 23, 25, 28, 29, 30, 31, 32, 33, 34, 60, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 146, 150, 451, 452, 455, 460, 461, 463
angulata, 376
arborescens, 371
ardechensis, 453, 455, 459, 461
aristata, 369
borreri, 23, 25, 29, 33, 87, 94, 146, 150, 451, 452, 454, 455, 456, 459, 460, 461, 462, 464, 455, 460
brackenridgei, 360
cambrensis, 23, 33, 87, 89, 94, 95, 96, 97, 452, 453, 461, 463, 464
carpatica, 451, 453, 454, 455, 456, 457, 458, 459, 460, 461, 462, 463, 464
caucasica, 147, 151, 455, 461
cesatiana, 365
cochleata, 56
costata, 362
crassirhizoma, 56
decurrens, 377
dentata, 357
devexa, 377
dilatata, 25, 145, 146, 151
dissitifolia, 371
doodioides, 295, 365
expansa, 461
filix-mas, 23, 25, 28, 29, 30, 31, 32, 33, 147, 151, 451, 453, 455, 460, 461, 462
guanchica, 166
harveyi, 357
hasseltii, 295, 371
heterocarpa, 366
interrupta, 359
invisa, 368
lacunosa, 23, 453, 455, 459, 460
lepidopoda, 56
leuzeana, 373
longissima, 376
maderensis, 166
magnifica, 362
malodora, 295, 357
marginata, 56
menyanthidis, 376
metcalfei, 366
nodosa, 371
odontoloma, 56
odontophora, 295, 371
oreades, 455, 461
oxyoura, 295, 363
pallida, 144, 147, 151, 461
papuana, 371
parasitica, 358
perpubescens, 358
phaeostigma, 375
phanerophlebia, 361
polycarpa, 366
pontica, 23
prenticei, 361
prolifera, 62
pseudodisjuncta, 23, 87, 94, 453, 455, 460
pseudostenobasis, 360
ramosa, 56
repanda, 379
rodigasiana, 363
savaiensis, 361
schorapanensis, 23, 451, 454, 455, 460
semiaffinis, 455, 461
sogerensis, 363
sparsa, 371
speluncae, 344
wallichiana, 56, 147, 150, 455
Dryostachyum
drynarioides, 385

Ebihara, A. 292
Ecuador, 6, 21
edaphic, 1, 2, 3, 6, 9, 10, 11, 124, 144
El Salvador, 134
Elaeis
oleifera, 77
Elaphoglossum
blumeanum, 372
glabellum, 78, 80
novoguineense, 372
obovatum, 71, 75, 76, 78
Equatorial Guinea, 199, 202, 204, 206, 210, 212, 213, 215, 216, 221, 222, 224, 231, 232, 234

EQUISETACEAE, 56, 115, 147, 151, 311, 407, 467
Equisetum
×moorei, 467, 468, 470, 471, 472, 473, 474, 475, 476, 477, 478, 479, 480, 481, 482, 483, 484, 485, 486
arvense, 56, 115, 116, 117, 118, 119, 145, 147, 486
camtchatcense, 467
debile, 483
fluviatile, 116, 486
huegelii, 311
hyemale, 56, 467, 468, 469, 472, 474, 477, 482, 483, 484, 485, 486
japonicum, 467, 469
laevigatum, 482
palustre, 116, 145, 147, 151, 467, 486
praealtum, 467
pratense, 486
ramosissimum, 56, 115, 116, 118, 119, 147, 151, 311, 467, 468, 470, 472, 474, 477, 478, 482, 483, 484, 485, 486
robustum, 467, 469
scirpoides, 467, 486
sylvaticum, 116, 486
telmateia, 116, 147, 151, 154, 467, 486
variegatum, 467, 468, 472, 482, 486
Estonia, 470
Ethiopia, 200, 202, 204, 206
ethnobotany, 51, 70
ethnopteridology, 45
Eurasia, 143
Europe, 32, 99, 101, 157, 162, 206, 240, 241, 242, 243, 248, 250, 278, 455, 482
Evans, A.J. 87

Fagus
sylvatica, 25
Fawcett, S. 292
fern, 1, 3, 4, 5, 8, 9, 10, 11, 12, 13, 22, 23, 35, 37, 40, 42, 45, 46, 47, 48, 49, 50, 51, 52, 63, 70, 71, 72, 74, 75, 77, 80, 87, 89, 101, 102, 115, 116, 119, 133, 141, 142, 143, 149, 157, 162, 163, 166, 169, 173, 174, 179, 182, 183, 210, 254, 260, 262, 264, 265, 268, 270, 271, 274, 278, 293, 295, 296, 297, 299, 301, 303, 437, 438, 451, 462, 489, 491, 492
Field, A.R. 292
Fiji, 175, 179, 182, 298, 301, 316, 318, 319, 327, 328, 330, 332, 333, 335, 337, 340, 342, 346, 350, 352, 357, 358, 359, 361, 362, 363, 370, 372, 375, 376, 378, 387, 388
Finland, 1, 13, 21, 22, 71, 292, 469
flavonoid, 115, 116, 117, 118, 119, 120
flora, 467, 468, 483, 485
flow cytometry, 23, 25, 87, 88, 89, 102, 451, 454, 467, 468, 472, 473
food, 45, 46, 49, 51, 62, 63, 142
forest, 142, 143, 145, 149, 153, 157, 161, 172, 173, 174, 177, 179, 181, 182, 183, 195, 200, 202, 206, 208, 210, 212, 213, 216, 220, 222, 224, 229, 231, 232, 235, 237, 259, 262, 263, 264, 265, 266, 270, 271, 296, 399, 401, 402, 403, 404, 405, 406, 451, 453, 462, 492, 494
France, 23, 245, 248, 452, 464, 469, 470, 477
Fraser-Jenkins, C.R. 141
Fuchs, J. 451, 467

Gabon, 197, 199, 204, 212, 215, 220, 221, 222, 227, 229, 231, 234
Germany, 23, 25, 34, 36, 161, 292, 451, 452, 453, 460, 463, 464, 467, 468, 469, 470, 471, 472, 473, 474, 477, 481, 482, 483, 485, 487
Ghana, 195, 197, 199, 200, 202, 204, 212, 215, 226, 231, 232, 234, 237
Gibby, M. 43, 98, 253
Gleichenia
amboinensis, 324
brassii, 323
candida, 324
hirta, 324
kajewskii, 295
longissima, 323
milnei, 324
oceanica, 324
sordida, 323
vulcanica, 323
GLEICHENIACEAE, 57, 322
Glenny, D. 292
Golding, R. 87
Goniophlebium
demersum, 386
niponicum, 59
percussum, 386
persicifolium, 386
rigidulum, 386
serratifolium, 386
subauriculatum, 387

Goniopteris
costata, 362
glandulifera, 362
longissima, 356
Gonocormus
digitatus, 320
minutus, 319
Grammitis
adspersa, 391
blechnoides, 384
brassii, 295, 391
brevivenosa, 385
contigua, 395
curtipila, 392
demissa, 383
graminella, 392
jagoriana, 392
knutsfordiana, 392
macrophylla, 388
merrillii, 392
musgraviana, 384
oblanceolata, 393
parva, 393
pleurogrammoides, 393
reineckei, 383
reinwardtii, 393
rosenstockii, 395
scolopendrioides, 388
setigera, 394
setulifera, 394
shawii, 395
subevenosa, 394
subrepandula, 397
subreticulata, 394
tenuisecta, 394
torricelliana, 395
yoderi, 395
Grypothrix
cuspidata, 360
ramosii, 360
Guatemala, 134, 482
Guazuma
ulmifolia, 134
Guinea, 193, 195, 200, 202, 204, 206, 208, 210, 212, 213, 215, 216, 221, 222, 224, 225, 226, 227, 231, 232, 234, 235, 237
Guinea-Bissau, 199
Gymnogramma
borneensis, 341
cominsii, 295, 353
decipiens, 337
fraxinea, 338
macrophylla, 388
palmata, 293, 377
quinata, 293, 341
Gymnopteris
lanceolata, 396
Gymnosphaera
hornei, 328

Habrodictyon
cumingii, 316
haploid, 35, 36, 37, 38, 39, 40
Haplopteris
dareicarpa, 338
elongata, 338
ensiformis, 338
scolopendrina, 338
Hecistopteris
pumila, 79
Helminthostachys
zeylanica, 58, 312
Hemionitis
esculenta, 354
lanceolata, 342
palmata, 134, 135
pinnatifida, 133, 134, 135, 136
plantaginea, 337
Hemipteris
werneri, 341
Hemitelia
truncata, 329
Hendy, A. 161
Heterogonium
pinnatum, 379
profereoides, 379
Hicriopteris
clemensiae, 323
sordida, 323
Hippochaete
debilis, 56
Histiopteris
herbacea, 297, 302, 343
incisa, 343
stipulacea, 343
Honduras, 134
Hori, K. 260
Hordeum
vulgare, 454
Huang, Y.M. 45
Humata

contigua, 395
elata, 381
heterophylla, 381
kinabaluensis, 381
pauxilla, 296
pusilla, 382
serrata, 383
sessilifolia, 383
Hungary, 32, 156
Huperzia
carinata, 304
dalhousieana, 304
javanica, 303
ledermannii, 305
patentissima, 306
phlegmaria, 52
phlegmarioides, 306
prolifera, 307
serrata, 303
squarrosa, 52, 307
hybrid, 36, 37, 99, 101, 102, 103, 107, 108, 111, 161, 162, 163, 164, 165, 166, 260, 262, 263, 264, 266, 267, 268, 334, 337, 341, 342, 355, 391, 451, 455, 457, 462, 467, 468, 472, 474, 482, 483, 486
hybridization, 42, 69, 261, 364, 483
hydrology, 1, 7
Hymenasplenium
excisum, 350
perriei, 350, 351
solomonense, 350
unilaterale, 350
Hymenolepis
mucronata, 388
HYMENOPHYLLACEAE, 71, 75, 77, 78, 94, 298, 299, 315, 316, 317, 318, 321, 407
Hymenophyllum
angulosum, 320
archboldii, 320
brassii, 320
copelandii, 320
crispum, 321
digitatum, 320
gorgoneum, 320
holochilum, 321
imbricatum, 321
javanicum, 321
kurzii, 319
lobbii, 321
pallidum, 321
polyanthos, 78, 80
serrulatum, 321
HYPODOMATIACEAE, 369
Hypolepis
elegans, 344
Hypopeltis
biserrata, 374

India, 42, 43, 46, 51, 62, 111, 112, 123, 124, 125, 128, 129, 130, 131, 156, 253, 270, 271, 272, 274, 281, 298, 299, 305, 311, 312, 313, 319, 331, 335, 338, 341, 354, 359, 368, 489, 491, 492
Indonesia, 46, 62, 172, 254, 257, 259, 272, 274, 282, 303, 306, 307, 313, 314, 315, 316, 319, 320, 321, 322, 323, 324, 325, 326, 329, 331, 332, 334, 336, 339, 340, 341, 342, 343, 345, 348, 351, 352, 353, 354, 355, 361, 365, 366, 369, 370, 371, 373, 374, 375, 376, 377, 378, 381, 383, 385, 386, 387, 388, 389, 390, 391, 393, 394, 395, 396, 397
inventory, 71, 296
Iran, 141, 142, 143, 144, 145, 149, 150, 153, 156, 157, 451, 454, 460
Iraq, 115, 116, 117
Ireland, 23, 304, 308, 310, 313, 347, 389, 402, 470
Iriartella
setigera, 75
Irudayaraj, V. 489
Ismail, A.M. 115
Isoetes
creussensis, 240, 242, 244, 245, 246, 248, 250
debii, 51, 52
durieui, 244
lacustris, 240, 241, 242, 243, 244, 245, 246, 247, 248, 250
laurentiana, 250
macrospora, 246
pirinica, 240, 243, 244, 245, 246, 247, 248, 249, 250
Isoloma
guerinianum, 332
Italy, 23, 250
Ivanova, D. 240



Jagersveld, 437, 438, 439, 441, 443, 445, 446, 447, 448
Japan, 62, 101, 260, 262, 263, 264, 265, 266, 303, 304, 467, 468, 469, 471, 474, 477, 480, 482, 483, 485
Japanobotrychum
lanuginosum, 58
Jash, S. 123
Jeßen, S. 23, 451
Jessen, S. 23, 451
Jones, K.E. 161

Kato, J. 24
Kaulfussia
aesculifolia, 270, 272
assamica, 270, 272
korthalsii, 270, 272
lobbiana, 270
Kawakami, S. 35
Kawakami, S.M. 35
Kawakami, T. 35
Kenya, 202, 206, 215, 234

Lacosteopsis
maxima, 322
Laos, 278, 287, 288, 298, 495
Lastrea
aristata, 369
attenuata, 360, 361
brackenridgei, 360
harveyi, 357
perpubescens, 358
prenticei, 361
torresiana, 360
Latvia, 469
Lecanopteris
linguiformis, 387
sinuosa, 387
Lehnert, M. 292
Lehtonen, S. 292
Lemmaphyllum
carnosum, 59
microphyllum, 59
Lepidogrammitis
accedens, 388
Lepidoneuron
hirsutulum, 374
Lepidonevron
biserratum, 374
Lepidotis
volubilis, 307
Lepisorus
accedens, 387
mucronatus, 388
Leptochilus
macrophyllus, 388
nigrescens, 390
rivularis, 370
Leptocionium
holochilum, 321
Leptopteris
laxa, 315
Lepydocarium
tenue, 75
Leucostegia
hirsuta, 382
nodosa, 371
pallida, 369
Liberia, 192, 195, 199, 204, 208, 210, 212, 215, 218, 221, 222, 226, 234
Lindsaea
agatii, 330
blanda, 330
brevipes, 331
cheilosora, 331
chinensis, 334
chrysolepis, 331
cultrata, 331, 335
delicatula, 331, 332
deltoidea, 334
denhami, 335
digitata, 9
divaricata, 9
elongata, 334
ensifolia, 330, 332
gueriniana, 332
guianensis, 11, 79, 80
harveyi, 332
jarrettiana, 302, 332
kajewskii, 295
kingii, 332
lancea, 71, 75, 76, 79, 80
lapeyrousei, 293, 295, 332
lucida, 331
marquesensis, 333
microstegia, 333

obtusa, 333
pacifica, 333
pulchella, 330
pulchra, 333
repens, 331, 333, 334
retusa, 335
rigida, 333
salomonis, 302, 334
seemannii, 333
sessilis, 334
tetragona, 334
vitiensis, 333
LINDSAEACEAE, 57, 79, 298, 330, 407
Lindsaenium
rigidum, 333
Litobrochia
incisa, 344
tripartita, 340
Lomagramma
articulata, 370
brassii, 372
cordipinna, 372
cultrata, 293, 302
guianensis, 7
polyphylla, 301, 372
sinuata, 373
Lomaria
elongata, 351
glauca, 326
LOMARIOPSIDACEAE, 253, 375, 407
Lomariopsis
brackenridgei, 375
oleandrifolia, 376
polyphylla, 372
long-term monitoring, 437
Loxogramme
parksii, 388
scolopendrioides, 388
Lubienski, M. 467
Lunathyrium
coreanum, 53
Luzula
luzuloides, 25
LYCOPODIACEAE, 52, 71, 75, 77, 78, 253, 303, 407
Lycopodiella
cernua, 274, 304
Lycopodioides
ciliaris, 308
firmula, 308
Lycopodium
angusta, 295
carinatum, 304
cernuum, 304
ciliare, 308
clavatum, 304
complanatum, 303
dalhousieanum, 304
filicaule, 305
filicaulon, 304, 305
japonicum, 304
javanicum, 303
kajewskii, 305
ledermannii, 305
longum, 306
nanum, 308
nudum, 312
nummulariifolium, 306
patentissimum, 306
phlegmarioides, 306
proliferum, 306
squarrosum, 307
vanikorense, 295, 304
volubile, 307
LYGODIACEAE, 57, 324, 407
Lygodium
circinnatum, 325
flexuosum, 57
japonicum, 57
microphyllum, 57, 325
reticulatum, 325
trifurcatum, 325
versteegii, 325

Macroglena
caudata, 316
flavofusca, 316
schlechteri, 317
Macaronesia, 161, 162, 163, 166, 167
Macroplethus
mucronatus, 388
Macrothelypteris
polypodioides, 360
torresiana, 360
Madagascar, 198, 200, 212, 318
Maharashtra, 111, 112, 489
Malawi, 200, 206, 231
Malaysia, 46, 50, 62, 112, 170, 258, 259, 270, 274, 275, 283, 285, 286, 304, 317, 319, 321, 322, 326, 333, 338, 341, 351, 370, 381, 385, 387, 394, 489

Manzatto, A.G. 71
Marattia
papuana, 315
salicina, 57
smithii, 315
MARATTIACEAE, 48, 4957, 62, 79, 271, 272, 314, 407
Marsilea
crenata, 57, 281, 285, 287
drummondii, 278, 279, 280, 285
minuta, 57, 278, 281, 282, 285, 287
mutica, 278, 283, 284, 285
polycarpa, 286
quadrifolia, 58, 145, 147, 151, 278, 279, 287, 288
scalaripes, 278, 283, 285, 286, 287, 288
sinensis, 281
MARSILEACEAE, 57, 147, 151, 278
Matteuccia
intermedia, 58
orientalis, 58
struthiopteris, 49, 58
Maulood, B. 115
Mecodium
angulosum, 320
archboldii, 320
imbricatum, 321
javanicum, 321
Mehltreter, K. 133
Mehrabian, A. 141
meiosis, 35, 37, 40, 101, 454, 455, 456, 461, 463, 490, 491
Meniscium
arborescens, 71, 75, 79, 80
beccarianum, 365
macrophylla, 10
Meringium
brassii, 320
gorgoneum, 320
holochilum, 321
lobbii, 321
Mesochlaena
polycarpa, 366
Mesoneuron
brackenridgei, 361
Mesopteris
pseudostenobasis, 360
Metaxya
rostrata, 79
METAXYACEAE, 79
Metrosideros
collina, 177
Mexico, 133, 134, 137, 336, 482
Mickelia
guianensis, 76, 78, 80
Microgonium
beccarianum, 319
mindorense, 319
tahitense, 320
Microgramma
lycopodioides, 76, 79
megalophylla, 79, 80
reptans, 71, 75, 76, 79, 80
thurnii, 79, 80
Microlepia
chinensis, 334
denhami, 335
firma, 55
flaccida, 343
hirsuta, 382
speluncae, 344
strigosa, 55
zeylanica, 343
Microsorum
accedens, 387
biseriatum, 389
commutatum, 389
congregatifolium, 389
cromwellii, 389
glossophyllum, 389
grossum, 390
linguiforme, 387
membranaceum, 59
nigrescens, 390
papuanum, 390
powellii, 390
punctatum, 59, 391
scolopendria, 391
Microtrichomanes
digitatum, 320
vitiense, 319
Monachosorum
henryi, 51, 55
Monogramma
acrocarpa, 342
dareicarpa, 338
junghuhnii, 342
morphology, 11, 23, 28, 36, 39, 69, 87, 101, 102, 103, 111, 115, 130, 188, 243, 244, 278, 347, 348, 462, 467, 482, 485, 490, 491
Moulatlet, G.M. 1, 21
Mozambique, 202, 206, 227
Murdock, A.G. 292
Myriodon
brassii, 320
Myriopteris

longipila, 133, 135, 136, 137
Myrmecophila
sinuosa, 387
Myrmecopteris
sinuosa, 387

Nasab, F.K. 141
Neottopteris
cymbifolia, 347
musifolia, 348
nidus, 52
Nepal, 42, 62112, 338, 340, 343, 372
Nephrodium
aciculatum, 370
amboinense, 295, 367
arborescens, 371
aristatum, 369
biserratum, 374
brackenridgei, 360
costatum, 362
decurrens, 377
dentatum, 357
devexum, 377
dissitifolium, 371
harveyi, 357
hederifolium, 295, 378
heterocarpon, 366
hirsutulum, 374
invisum, 368
leuzeanum, 373
longissimum, 356
ludens, 371
macrosorum, 295
menyanthidis, 376
milnei, 378
obliteratum, 375
phanerophlebium, 293, 361
polycarpon, 366
powellii, 371
prenticei, 361
richardsii, 367
rodigasianum, 363
savaiense, 361
sparsum, 372
NEPHROLEPIDACEAE, 58, 253, 374, 407
Nephrolepis
acutifolia, 58
auriculate, 58
biserrata, 58, 374
brownii, 374
cordifolia, 51, 58, 375
dicksonioides, 374
exaltata, 374
hirsutula, 58, 374
lauterbachii, 374
obliterata, 375
Nesopteris
intermedia, 318
Netherlands, 183, 438, 439, 446, 447, 467, 470, 482
Neurocallis
polyphylla, 372
rivularis, 370
Neurogramma
fraxinea, 338
quinata, 341
New Georgia, 296, 297, 302, 314, 361, 384, 388
New Guinea, 170, 254, 259, 293, 298, 299, 301, 303, 304, 305, 306, 307, 308, 310, 313, 315, 317, 318, 320, 323, 324, 325, 326, 327, 328, 329, 331, 332, 333, 334, 335, 339, 340, 341, 342, 343, 345, 347, 348, 349, 350, 351, 353, 355, 358, 360, 364, 365, 367, 371, 372, 373, 375, 377, 378, 380, 383, 384, 386, 387, 388, 389, 390, 392, 393, 394, 395, 401, 402
New Zealand, 99, 183, 283, 344, 489
Nicaragua, 134
Nigeria, 195, 197, 199, 200, 202, 208, 210, 212, 215, 216, 227, 229, 231, 232, 234, 237
Niphobolus
lanceolatus, 396
longifolius, 396
nomenclature, 124, 143, 293, 303, 386, 407
North America, 1, 99, 101, 157, 241, 246, 467, 482, 483, 489
Norway, 1, 469
nutrient, 1, 2, 3, 4, 5, 7, 8, 9, 35, 76, 80, 94, 115, 142



Oceaniopteris
vittata, 352
Ochlogramma
cumingii, 354
Odontosoria
chinensis, 57, 334
deltoidea, 334

retusa, 334
Oeosporangium
coriaceum, 145, 148, 152
persicum, 148, 152
pteridioides, 148, 152
Ohlsen, D. 292
Oleandra
angusta, 295
articulata, 71, 75, 76, 79, 80
cumingii, 536
dimorpha, 295, 381
neriiformis, 295, 380
sibbaldii, 381
werneri, 295, 381
OLEANDRACEAE, 79, 253, 380, 407
Onoclea
struthiopteris, 145, 147, 151
ONOCLEACEAE, 42, 49, 58, 147, 151
Onychium
*divaricatum,*148
japonicum, 60
siliculosum, 338
Ophioderma
falcatum, 313
pendulum, 151, 313
OPHIOGLOSSACEAE, 58, 62, 123, 147, 148, 151, 312, 407
Ophioglossum
brevipes, 125
chaloneri, 124
circinnatum, 325
cognatum, 129
cordifolium, 129
costatum, 123, 125, 127, 130, 131
eliminatum, 123
fibrosum, 125
gomezianum, 123
gramineum, 123, 125, 126, 127, 130, 131
gujaratense, 124
hitkishorei, 124
laciniatum, 313
lancifolium, 123
lineare, 313
lusitanicum, 145, 147, 151, 153
lusoafricanum, 123
macrorrhizum, 126, 314
malviae, 124
moluccanum, 128
nudicaule, 58, 126, 128, 313
oleosum, 124
parvifolium, 123, 125, 126, 127, 128, 130, 313
pedunculosum, 125
pendulum, 123, 125, 127, 128, 130, 131, 313
petiolatum, 123, 125, 127, 129, 130, 131
polyphyllum, 58, 145, 148, 149, 151, 156
prantlii, 126
pumilum, 126
raphaelianum, 124
reticulatum, 123, 125, 127, 128, 129, 130, 131, 314
rubellum, 123
schmidii, 126
thermale, 123
vulgatum, 58, 123, 125, 126, 128, 129, 130, 148, 151, 438
wightii, 125
Orchis
simia, 446
Oreogrammitis
adspersa, 391, 392
brassii, 295, 302, 391, 393
curtipila, 392
dissimulans, 302, 392, 403, 404, 405
graminella, 392
jagoriana, 392
knutsfordiana, 392
merrillii, 392
neocaledonica, 404
oblanceolata, 393
parva, 393
peregrina, 302, 393, 404, 405
pleurogrammoides, 393
reinwardtii, 393, 403
rupicola, 302, 394, 404, 405
setigera, 394
setulifera, 394
subevenosa, 394
subreticulata, 394
tenuisecta, 394
torricelliana, 395
yoderi, 395
Ornithopteris
esculenta, 344
Orthiopteris
campylura, 330
Osmolindsaea
minor, 335
Osmunda
cinnamomea, 59
claytoniana, 58
japonica, 40, 59, 63
javanica, 59
regalis, 59, 145, 148, 149, 151, 156
vachellii, 59
zeylanica, 312

Osmundaceae, 58, 141, 148, 151, 315, 407
Osmundastrum
cinnamomeum, 59
Ouaid, T. 115
Oxalis
acetosella, 25

Pacific Islands, 293, 295, 301, 307, 345, 346, 350, 381, 383
Pachypleuria
pusilla, 382
sessilifolia, 383
Pakistan, 62, 142
Palhinhaea
cernua, 304
Pansini, S. 71
Papua New Guinea, 254, 259, 293, 301, 304, 305, 306, 307, 308, 310, 313, 315, 317, 318, 320, 323, 324, 325, 326, 327, 328, 329, 331, 332, 333, 334, 335, 339, 340, 341, 342, 347, 349, 350, 351, 353, 355, 358, 360, 364, 365, 367, 371, 372, 373, 375, 377, 378, 381, 383, 384, 386, 389, 392, 393, 394, 395, 401, 402
Papuasia, 293, 294, 298, 299, 300
Parablechnum
nesophilum, 352
Paradennstaedtia
glabrata, 343
Paragymnopteris
marantae, 145, 148, 149, 152
Parestia
elata, 381
Parris, B.S. 254, 292
Patel, R. 270
Patil, S.M. 111, 270
Pellaea
boivinii, 489
calidirupium, 491
calomelanos, 489
connectens, 489
falcata, 489, 490, 491
longipilosa, 489
rotundifolia, 489, 491
Pentarhizidium
intermedium, 58
orientale, 58
Peranema
nodosum, 371
Perrie, L. 292
Peru, 6, 10, 22
Petchsri, S. 278
PgiC gene, 451, 454, 461, 464
Phegopteris
beccariana, 365
dahlii, 373
incisa, 344
irregularis, 373
longissima, 356
Philippines, 46, 62, 170, 173, 174, 175, 179, 259, 270, 282, 313, 316, 317, 318, 319, 320, 321, 323, 325, 335, 336, 337, 347, 348, 349, 350, 354, 360, 368, 370, 372, 373, 376, 377, 379, 380, 382, 384, 388, 392, 393, 395, 495
Philippine ferns, 169
Phlebodium
aureum, 101, 102, 105, 107, 108
decumanum, 79
Phlebosia
louisiana, 107
Phlegmariurus
australis, 305
carinatus, 295, 304
dalhousieanus, 304
filicaulon, 304
haeckellii–parksii, 307
harmsii, 305
ignambiensis, 307
kajewskii, 295, 305
lauterbachii, 306
ledermannii, 305
linifolius, 78, 80
longus, 306
mirabilis, 305
nummulariifolius, 306
oceanianus, 306
patentissimus, 306
phlegmaria, 52, 305
phlegmarioides, 306
proliferus, 306, 307
squarrosus, 52, 307
tafaensis, 307
Phorolobus
siliculosus, 338
Photinopteris
drynarioides, 385
Phyllitis
schizocarpa, 349
scolopendropsis, 349
Phymatodes
albosquamata, 397
commutata, 389

grossa, 390
nigrescens, 390
powellii, 390
scolopendria, 391
sinuosa, 387
Phymatopsis
accedens, 387
albidosquamata, 397
Phymatopteris
albidosquamata, 397
Phymatosorus
biseriatus, 389
commutatus, 389
cromwellii, 389
grossus, 390
nigrescens, 390
papuanus, 390
powellii, 390
scolopendria, 391
phytochemical, 115, 116, 117, 118, 119
Picea
sitchensis, 445
Pisum
sativum, 454
Pityrogramma
calomelanos, 339
Plagiogyria
egenolfioides, 326
glauca, 326
tuberculata, 326
PLAGIOGYRACEAE, 326
Platytaenia
diversifolia, 342
Plectopteris
gracilis, 384
Pleocnemia
cumingiana, 373
dahlii, 373
devexa, 377
irregularis, 56
leuzeana, 373
profereoides, 379
Pleopeltis
accedens, 387
albidosquamata, 397
commutata, 389
congregatifolia, 389
cromwellii, 389
heraclea, 385
linguiformis, 387
macrophylla, 388
nigrescens, 390
papuana, 390
powellii, 390
punctata, 391
sinuosa, 387
Plesioneuron
archboldiae, 362
attenuatum, 360
imbricatum, 361
myriosorum, 301
phanerophlebium, 293, 302, 361
prenticei, 361
savaiense, 361
subglabrum, 302, 362
Pleurogramme
pusilla, 396
Pleuromanes
pallidum, 321
Pneumatopteris
callosa, 61
costata, 362
glandulifera, 357, 362
imbricata, 361
imbricatum, 357
magnifica, 363
oxyoura, 363
rennellii, 364
rodigasiana, 363
sogerensis, 363
Poecilopteris
polyphylla, 372
rivularis, 370
Poland, 24, 28, 32, 33, 34, 156, 447, 470
Polybotrya
articulata, 370
aurita, 376
caudata, 7, 9
crassirhizoma, 9
fractiserialis, 9
glandulosa, 7, 9
marattioides, 347
osmundacea, 9
polyphylla, 372
pubens, 9
sessilisora, 9
Polydictyum
menyanthidis, 376
Polynesia, 169, 173, 175, 177, 179, 181, 183, 308, 316, 318, 320, 325, 329, 356, 360361, 368, 369, 378, 381, 382, 385, 390, 391, 395, 397
Polynesian ferns, 169
POLYPODIACEAE, 46, 60, 71, 75, 77, 79, 101, 148, 151, 152, 253, 254, 298, 299, 301, 383, 407
Polypodiodes

niponica, 59
Polypodium
accedens, 387
adspersum, 391
albidosquamatum, 397
angulatum, 376
aristatum, 369
blechnoides, 374
brevivenosum, 375
cambricum, 99, 145, 148, 149, 152
christovalense, 377
commutatum, 389
contiguum, 395
cromwellii, 389
demersum, 386
dentatum, 357
drynarioides, 375
enerve, 397
felinum, 329
glossophyllum, 389
graminellum, 392
grossum, 390
hasseltii, 371
heracleum, 375
hirsutulum, 374
interjectum, 99, 148, 151
invisum, 368
irregulare, 373
jagorianum, 392
knutsfordianum, 392
latifolium, 378
leuzeanum, 373
lineare, 322
linguiforme, 387
longissimum, 356
lunulatum, 329
macaronesicum, 99
macrophyllum, 388
merrillii, 392
metcalfei, 293, 366
musgravianum, 384
nigrescens, 390
oblanceolatum, 393
palustre, 352
papuanum, 390
parasiticum, 358
parkinsonii, 386
parvum, 393
persicifolium, 386
pleurogrammoides, 393
powellii, 390
punctatum, 391
reineckei, 383
reinwardtii, 393
rigidulum, 386
scolopendria, 391
serratifolium, 387
setigerum, 394
setuliferum, 394
shawii, 395
simplex, 392
sinuosum, 387
sparsisorum, 386
speluncae, 344
subauriculatum, 387
subevenosum, 394
subrepandulum, 397, 398
subreticulatum, 394
tenuisectum, 394
torricellianum, 395
unitum, 368
vulgare, 99, 145, 148, 152
yoderi, 395
Polystichopsis
aristata, 369
Polystichum
aculeatum, 147, 151, 154
aristatum, 369
braunii, 147, 151
hirsutulum, 374
lonchitis, 145, 147, 149, 151, 157
moluccense, 374
torresianum, 360
woronowii, 145, 147, 151
Polytaenium
guayanense, 79, 80
Pompe, H. 101
Populus
×*canadensis,* 437
Portugal, 23, 124, 131, 163, 470
Pronephrium
beccarianum, 356
womersleyi, 367
Prosaptia
contigua, 395
kajewskii, 395
reineckei, 383
rosenstockii, 395
shawii, 395
solomonensis, 396
Prunus
padus, 437, 447
Pseudodiphasium
volubile, 307
PSILOTACEAE, 148, 152, 312, 407
Psilotum

complanatum, 312
nudum, 148, 152, 153, 312
PTERIDACEAE, 46, 49, 59, 71, 75, 77, 79, 138, 144, 148, 152, 298, 299, 335, 407, 489
Pteridium
aquilinum, 45, 48, 49, 51, 55, 55, 63, 142, 146, 150, 154, 344
esculentum, 55, 344
revolutum, 56
pteridophyte, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 42, 45, 70, 111, 123, 141, 142, 143, 144, 145, 146, 149, 150, 153, 154, 155, 157, 161, 253, 293, 295, 296, 297, 298, 299
Pteris
aquilina, 344
biaurita, 274
blechnoides, 341
comans, 339
cretica, 61, 148, 152
dentata, 148, 152
dispar, 40
ensiformis, 61, 339
esculenta, 344
excelsa, 61
fauriei, 61
incisa, 344
interrupta, 493
ligulata, 339
macrophylla, 339
mertensioides, 340
multifida, 40, 61
pacifica, 340
papuana, 340
polylepis, 340
pseudopellucida, 274
pungens, 11
scolopendrina, 338
semipinnata, 40
siliculosa, 338
spinescens, 61
terminalis, 61, 340
torricelliana, 340
tripartita, 340
vitiensis, 340
vittata, 148, 152, 340
wallichiana, 48, 61
warburgii, 340
werneri, 340
Pteropsis
scolopendrina, 338
Ptisana
ambulans, 302, 314
decipiens, 314, 315
papuana, 315
salicina, 57
smithii, 301, 315
ternatea, 315
Pyrrosia
fallax, 396
lanceolata, 396
lingua, 59, 101, 102, 107, 108
longifolia, 396

Quansah, N. 188

Radiogrammitis
graminella, 392
jagoriana, 392
parva, 393
setigera, 394
setulifera, 394
rainforest, 1, 11, 13, 75, 77, 149, 183
Rajput, K.S. 111, 270
Ramírez-Rodríguez, R. 133
Ranunculus
aquatilis, 243
Rawat, V. 270
Reediella
humilis, 318
Reholttumia
costata, 362
hudsoniana, 363
macroptera, 362
magnifica, 301, 362
oxyoura, 295, 302, 363
rodigasiana, 363
sogerensis, 363
Rojek, M. 23
Romania, 23, 24, 29, 32, 33, 34, 240, 451, 452, 453, 460, 462
Rostański, A. 23
Rumohra
aristata, 369
Rumsey, F.J. 87, 161
Russia, 470
Rwanda, 206

Saccoloma
campylurum, 330
inaequale, 11, 79
SACCOLOMATACEAE, 79, 330
Sagenia
crenata, 377
decurrens, 377
menyanthidis, 376
repanda, 379
Salgado, A.E. 169, 495
Salpichlaena
hookeriana, 7, 78, 80
Salvinia
cucullata, 51, 61
natans, 51, 61, 148, 152
SALVINIACEAE, 61, 148, 152, 253
Samoa, 169, 175, 177, 179, 183, 311, 329, 343, 348, 349, 352, 361, 362, 363, 371, 372, 381, 383, 391, 392
Sampaio, A.F. 71
Sampaio Cabral, G. 71
Sánchez-Popoca, A.D. 133
Sceptridium
ternatum, 58
Schellolepis
percussa, 386
persicifolia, 386
subauriculata, 387
Schizaea
biroi, 326
dichotoma, 326
elegans, 11, 79
malaccana, 326
wagneri, 325
SCHIZAEACEAE, 79, 141, 325, 407
Schizoloma
agatii, 330
guerinianum, 332
retusum, 335
Scleroglossum
pusillum, 396
pyxidatum, 396
sulcatum, 397
Scolopendrium
schizocarpum, 349
Scyphofilix
speluncae, 344
Scyphularia
appressa, 295
pentaphylla, 382
Secale
cereale, 29, 454
Selaginella
abyssinica, 200
africana, 233
asperula, 78, 80
birarensis, 311
blepharophylla, 190, 192, 193, 195, 196
breynioides, 393
buchholzii, 190, 194, 196
bueensis, 200
cathedrifolia, 189, 193, 198
ciliaris, 308
dinklageana, 233
firmula, 308, 310
goetzei, 200
goudotiana, 191, 194, 200, 201
hildebrandtii, 212
kalbreyeri, 190, 194, 202, 203
kerstingii, 308, 310
kraussiana, 189, 194, 204, 205, 206
latifolia, 308
leoneensis, 191, 193, 206, 207
leveriana, 308, 310, 311
madagascariensis, 200
magnusii, 200
melleri, 200
molleri, 191, 194, 208, 209, 210
molliceps, 191, 193, 210, 211
myosurus, 189, 193, 213, 214
nana, 308, 310, 311
nitens, 229
pallescens, 134
parkeri, 78
perpusilla, 197
poperangensis, 301, 310
protensa, 190, 194, 216, 217
rechingeri, 310
rubicaulis, 210
scandens, 213
schlechteri, 310
sepikensis, 310
serrato-squarrosa, 191, 193, 218, 219
soyauxii, 190, 194, 220, 221
squarrosa, 191, 194, 222, 223
subcordata, 191, 224, 225
tamariscina, 50, 52
tenerrima, 190, 193, 226
*thomensis,*191, 193, 228
versicolor, 189, 193, 194, 229, 230, 231

vogelii, 189, 233, 234
whitmeei, 310, 311
zechii, 190, 192, 194, 235, 236
zenkeri, 190, 194, 198
SELAGINELLACEAE, 52, 71, 75, 77, 78, 188, 308, 407
Selenodesmium
obscurum, 316
Selliguea
albidosquamata, 397
enervis, 397
macrophylla, 388
plantaginea, 397
Senegal, 215, 229, 231
Serbia, 29
Serson, W. 115
Seychelles, *304*
Shorea
robusta, 124
Sierra de Huautla Biosphere Reserve, 133, 138
Sierra Leone, 197, 199, 204, 206, 208, 213, 215, 221, 224, 225, 226, 227, 229, 231, 234
Silva De Moura, O. 71
Sitobolium
samoense, 343
stramineum, 326
Slovakia, 32
Slovenia, 470
Smit, A. 437
Smith, A. R. 292
Socratea
exorrhiza, 75
soil chemistry, 1, 2, 3, 9
soil texture, 1, 2, 5, 7, 77
Sokoloff, P.C. 240
Solomon Islands, 293, 294, 295, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 307, 308, 310, 312, 313, 314, 315, 323, 325, 327, 328, 329, 330, 331, 332, 334, 335, 336, 337, 339, 340, 341, 342, 343, 344, 345, 346, 348, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360, 361, 362, 363, 364, 365, 366, 367, 368, 369, 370, 377, 378, 379, 381, 382, 388, 389, 390, 391, 393, 394, 398, 399, 400, 401, 402, 403, 404, 405, 406, 407
Somalia, 202
South Africa, 99, 128, 202, 206, 344
South America, 12, 72, 482
Spain, 23, 163, 248, 470
Sparganium
angustifolium, 243
Sphaeropteris
aciculosa, 295, 328
brackenridgei, 243, 301, 329
brunoniana, 55
felina, 329
lepifera, 55
lunulata, 329
moseleyi, 329
samoensis, 329
truncata, 329
vittata, 295, 330
Sphaerostephanos
beccarianus, 365
braithwaitei, 301, 365
brauseanus, 365
cataractorum, 365
doodioides, 365
gregarius, 365
hastatopinnatus, 367
heterocarpos, 365
hirsutus, 368
hochreutineri, 365
invisus, 367, 368
latebrosus, 368
metcalfei, 293, 301, 365
polycarpos, 366
richardsii, 367
scandens, 302, 367
unijuga, 295, 366
unitus, 368
veitchii, 295, 367
vestigiatus, 365
warburgii, 365
womersleyi, 365, 367
species richness, 2, 3, 6, 7, 10, 13, 72, 141, 143, 144, 145, 157
Sphenomeris
chinensis, 57, 334
deltoidea, 334
retusa, 335
Spiranthes
spiralis, 446
Sri Lanka, 305, 308, 312, 325, 337, 343, 344, 347, 396
Stachygynandrum
japonicum, 303
scandens, 214
starch, 45, 46, 47, 48, 49, 50, 52, 54, 55, 56, 57, 58, 59, 60, 62
Stenochlaena
brackenridgei, 375
milnei, 293, 352
oleandrifolia, 376
palustris, 54, 352

Stenolobus
pentaphyllus, 382
Stenoloma
chinensis, 334
deltoideum, 334
retusum, 334
Stenosemia
aurita, 376
pinnata, 379
Sticherus
brassii, 323
hirtus, 324
milnei, 295
oceanicus, 324
Strophocaulon
invisus, 368
unitum, 368
Subularia
aquatica, 243
Sudan, 210, 206, 231, 232
Sundue, M. 292
Sweden, 245, 437
Switzerland, 23, 156, 452, 453, 454, 460
Synaphlebium
pulchrum, 333
Syngramma
borneensis, 341
fraxinea, 338
hookeri, 342
lanceolata, 342
quinata, 293, 337, 341
spathulata, 341

Taeniopsis
sulcata, 397
Taenitis
blechnoides, 341
diversifolia, 342
hookeri, 342
lanceolata, 342
pusilla, 396
Taiwan, 46, 50, 51, 62, 69, 70, 298, 407
Tajik, F. 141
Tanzania, 202, 206, 234
Tapeinidium
denhami, 335,
denhamii, 296
melanesicum, 335
novoguineense, 335
tenuius, 296
Tarachia
caudata, 173
falcata, 347
laserpitiifolia, 347
truncatiloba, 173
taxonomy, 2, 22, 23, 46, 69, 87, 123, 163, 169, 188, 268, 270, 272, 278, 293, 303, 304, 356, 361, 383
tea, 45, 46, 49, 50, 52, 56, 57, 59, 60, 61, 62
Tectaria
angulata, 376, 380
aspidioides, 379
aurita, 376
bamleriana, 377
brauniana, 10
christovalensis, 293, 377, 380
coadunata, 42, 61
crenata, 61, 377
dahlii, 373
decurrens, 377
devexa, 377
durvillei, 377
ferruginea, 378, 380
fuscipes, 61, 111
gemmifera, 61
griffithii, 112, 113
gymnocarpa, 378, 380
hederifolia, 295, 302, 378
heterocarpa, 274
hookeri, 378
irregularis, 373
isomorpha, 378
latifolia, 378, 380
leuzeana, 373
macrodonta, 61
melanocaulis, 378, 380
menyanthidis, 376
milnei, 378
multicaudata, 111, 112, 113,
nayarii, 379
paradoxa, 61
pinnata, 379
polymorpha, 111
profereoides, 379
psomiocarpa, 380
repanda, 295, 379
subconfluens, 274
tahitensis, 378
TECTARIACEAE, 61, 79, 111, 298, 299, 376, 407
Teratophyllum
articulatum, 370

Terceira, 161, 163, 164, 166
tetraploid, 30, 31, 33, 35, 36, 37, 38, 161, 162, 163, 164, 166, 260, 261, 262, 264, 268, 352, 451, 455, 456, 460, 461, 462, 463, 464, 489, 491, 492
Thailand, 62, 112, 274, 278, 279, 281, 283, 284, 285, 286, 287, 298
Thamnopteris
nidus, 348
THELYPTERIDACEAE, 61, 70, 77, 79, 149, 152, 253, 298, 299, 301, 356, 407
Thelypteris
auriculata, 61
brackenridgei, 361
braithwaitei, 365
costata, 362
dentata, 357
doodioides, 365
glandulifera, 362
gregaria, 365
harveyi, 357
heterocarpa, 366
interrupta, 359
limbosperma, 145, 149, 152
longissima, 356
macrophylla, 10, 12
magnifica, 363
malodora, 357
metcalfei, 365
oxyoura, 363
palustris, 149, 152
parasitica, 359
perpubescens, 359
phanerophlebia, 361
polycarpa, 366
prenticei, 361
pseudostenobasis, 360
richardsii, 367
rodigasiana, 363
savaiensis, 361
scandens, 367
sogerensis, 363
subglabra, 362
torresiana, 360
unita, 368
veitchii, 367
womersleyi, 367
Themelium
tenuisectum, 394
yoderi, 395
Thomas, B.A. 188
threatened fern, 489
Tlałka, D. 23
Tmesipteris
oblanceolata, 295, 312
ovata, 312
solomonensis, 302, 312
Togo, 195, 197, 199, 204, 208, 212, 213, 215, 218, 221, 229, 231, 232, 234, 235, 237
Tomophyllum
pulchrum, 302, 397, 405, 406
subrepandulum, 397
Tonga, 175, 283
topography, 1, 2, 7, 8, 9
Toxopteris
borneensis, 341
Trichiogramme
borneensis, 341
lanceolata, 342
quinata, 341
Trichomanes
acrosorum, 317
ankersii, 78, 80
aphlebioides, 318
apiifolium, 317
asae-grayi, 316
asplenioides, 318
atrovirens, 317
beccarianum, 319
bipunctatum, 318
caudatum, 316
chinense, 334
contiguum, 395
cumingii, 316
densinervium, 317
digitatum, 320
elatum, 381
elegans, 12, 78
flaccidum, 343
flavofuscum, 316
hostmannianum, 78
humile, 318
intermedium, 318
kurzii, 319
martiusii, 8, 12, 78
maximum, 322
mindorense, 319
minutum, 319
obscurum, 316
pallidum, 316, 321
pinnatum, 78
pluma, 409
proliferum, 319
schlechteri, 317
solidum, 383
tahitense, 320

tanaicum, 78
tenuifolia, 337
tenuissimum, 318
vitiense, 319
vittaria, 78, 80
Triplophyllum
angustifolium, 79, 80
dicksonioides, 79, 80
funestum, 79, 80
tropical dry forest, 133, 134, 137
typification, 32, 254, 293, 462, 474
Tuomisto, H. 1, 22
Turkey, 23, 452, 460

Uganda, 202, 204, 206, 212, 221, 231, 232
Ugena
microphylla, 325
Ukraine, 32
United States, 179, 183, 281, 283, 293
Urostachys
brassii, 307
copelandii, 304
harmsii, 305
ledermannii, 387
patentissimus, 306
phlegmarioides, 306
prolifer, 306
squarrosus, 307
tafaensis, 307

Vaginularia
acrocarpa, 342
junghuhnii, 342
Vandenboschia
aphlebioides, 318
maxima, 322
Vanuatu, 293, 301, 315, 324, 336, 339, 343, 344, 369, 380, 382, 402, 403
vegetable, 45, 46, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 278, 287
Venezuela, 336
Viane, R.L.L. 87, 101
Vietnam, 274, 278, 288, 326, 348, 495
Vittaria
elongata, 338
ensiformis, 338
lineata, 79
pusilla, 396
scolopendrina, 338
sulcata, 397

Weatherbya
accedens, 387
West Africa, 188, 189, 195, 202, 208, 210, 213, 218, 220, 226, 376
West Bengal, 123, 124, 125, 126, 128, 129, 130, 131
Wibelia
denhami, 335
wine, 45, 49, 52, 54, 55, 56, 57, 59, 62
Woodsia
alpina, 145, 149, 152, 153
polystichoides, 62
WOODSIACEAE, 4262, 111, 149, 152, 253
Woodwardia
japonica, 54
orientalis, 35, 36, 37, 38, 39
prolifera, 35, 36, 37, 38, 39
unigemmata, 54

Xiphopteris
musgraviana, 384
setulifera, 394

Zaluzianskia
drummondii, 279
Zambia, 202, 227, 234
Zealandia
powellii, 390
Zimbabwe, 202, 206
Zungsontiporn, S. 278
Zuquim, G. 1, 21, 71

Blank Page Digitally Inserted